



# Airfilter Mini

BIG SOLUTION - IN A MINI PACKAGE



## A word about our Airfilter Mini

An efficient unit with a high volumetric air flow and a low noise emission for working places and calm environments.

The use of a 3-step filtering system permits the operation for most different suction solutions: e.g. with laser units, in dental and medical technologies, the electronics industry, in hospitals, at dermatologists, and restorers.

The unit can be used as an undertable unit or as free standing unit to which exhaust arms in a size of 50 mm - 75 mm can be attached.

## Technical information

Max. volumetric flow of the fan [cfm]:	21,189
Max. pressure [Pa]:	900 - 21,000
Air intake dia.:	
Pre-filter:	Pre-filter mat
Main-filter:	Filter cartridge
Engine performance [kW]:	1.2
Voltage [V]:	400
Power Frequency of control [Hz]:	50/60
Rated current [A]:	0.3
Protection type:	
Weight [lbs]:	61.6
Height [in]:	14.81
Depth [in]:	24.65
Width [in]:	14.37
Separation efficiency [%]:	more than 99





*Powerful clean air!*

*TEKA filtration systems  
1218 Guinotte Ave  
Kansas City, MO 64120  
USA*

*Phone: 816 842 1773  
Email: [info@teka-direct.com](mailto:info@teka-direct.com)  
Web: <http://teka-direct.com>*

